

Index

- 3D mouse cursor, 64
 - in perspective view, 64
 - settings for, 64
- 3D pixel
 - setting color depth of, 24
 - setting size of, 24
- 3D views
 - background settings for, 32
 - plan, 34, 62
 - size options, 12

A

- Align object or group, 88
- Animated object, 20, 76
 - moving in project, 20
- Animation
 - control arbitrary time, 20
 - recording, 108
- Arbitrary rotation, 87
- ArCon windows, 3, 4
 - catalog, 17
 - Explorer window, 17
 - show or hide Explorer, 3

B

- Background
 - adjusting horizon line for picture, 39
 - adjusting viewing angle, 39
 - constant color, 36
 - picture and lighting conditions, 60
 - setting as default, 40
 - setting color(s) of, 35
 - setting variable color, 37
 - settings for 3D views, 32
 - using picture for, 38
- Bitmap
 - save picture as, 11
- Blue circle
 - selection frame, distorted, 82
- Brightness
 - controlling, 56

- controlling lamps, 75
- Brightness settings
 - avoiding overexposure with, 45

C

- Catalog, 17
 - characteristics, 92
 - Materials, 98
 - open, 92
 - options, 92
 - refresh, 92
 - show or hide, 62
 - Textures, 93
- Changes from DataCAD Plus
 - affect on vis project, 14
- Collision detection, 64, 66, 69, 81, 120
- Color
 - constant background, 36
 - high, 24
 - of lamp's light, 75
 - setting background color(s), 36
 - setting depth of 3D pixel, 24
 - table, 12
 - true, 25
 - variable for background, 37
- Colored with texture view mode
 - high quality, 43
 - medium quality, 43
- Colored without texture view mode, 43
- Compression quality of video, 116
- Constellation preview window, 60
- Coordinates
 - absolute Cartesian, 85
 - model, 85
 - world, 85
- Copy
 - icon, 83
 - object or group, 83

- Cursor
 - 3D mouse, 62
 - animated object, 20
 - change when placing material, 98
 - change when placing texture, 95
 - changes when placing standard material, 105
 - constellation preview window, 60
 - place objects in perspective view, 17, 62
 - place objects in plan view, 17, 62
 - preview window, 19
 - rotation, 87
 - walk-through, 50

D

- Day view, 56
 - export VRML as, 123
 - switching to night during playback, 110
- Delete icon, 84
- Dialog box
 - Animation, 20
 - Animation open, 109
 - Background, 35, 38
 - Brightness, 45, 56
 - Color, 36, 75, 101
 - Compression, 115
 - Confirm delete, 84
 - Copy, 83
 - Daylight, 57
 - Define view point, 53
 - Delete, 84
 - Duration when playing movements, 112
 - Export, 121
 - Export, extended for VRML, 122
 - Foreground picture, 41
 - General settings, 27, 64, 70

- Group designation, 77
- Group load, 63, 78
- Group save, 77
- Group settings, 79
- Insert still frames, 111
- Material, 100, 105
- New view, 13
- Object, 18
- Object save, 71
- Object settings, 66, 72, 73, 82
- Print options, 10
- Program settings, 23
- Project options, 31
- Raytrace, 45
- Rotate, 85, 86
- Save, 9
- Save picture, 11, 48, 114
- Sounds, 7
- Texture, 95
- Video save, 115
- View, 53
- Walk through, 50
- Zoom, 15

Diffuse color

- mix texture and, 104

Dimensions

- changing for group, 80
- changing for object(s), 73
- changing with selection frame blue circle, 82
- changing with selection frame corner, 73, 82
- changing with selection frame green edges, 82

Directory path

- for materials, 26
- for objects, 26
- for textures, 26

Down one floor in walk-through, 51, 120

Drag and drop

- move objects, textures, or materials with, 17
- place objects or groups with, 62

E

Edge filters, 12

Export, 121

- to non-VRML format, 121
- to VRML format, 121
- VRML as day view, 123

F

File

- change save options, 9
- open, 9
- print, 10
- save, 9
- save as bitmap, 11

Floor level

- object height above, 74

Foreground

- picture for, 40

G

General settings, 27

- limit polygons during walk-through, 28
- view button 3D input, 29
- view moved picture contents, 28

Gloss

- of material, 102

Gloss light size

- of material, 102

Group icon, 83

Group of objects

- align several, 88
- changing dimensions of, 80
- collision detection, 81
- copying, 83
- defining, 77
- deleting, 84
- deleting saved, 79
- icon (vertical bar), 77
- lamps included in, 80
- loading, 63, 78
- loading into perspective view, 65
- mirroring, 87
- move with building, 80
- moving, 69
- placing in drawing, 18, 62
- restoring defaults, 82

- rotating around X, Y, or Z axis, 85
- save as, 77
- separate, 77
- settings for, 79
- using vertical icon bar to control, 83

H

Head inclination, 55

Height

- above floor, 74
- over floor, 54
- set after free placement, 74

Help, on-line, 3, 120

Hidden line with opaque edges

- view mode, 43

Hidden line with opaque surfaces view mode, 43

Hidden object

- selecting, 68

Horizon line

- adjusting for picture background, 39

I

Icons, 4

- grayed or inactive, 5
- lower horizontal bar, 5
- upper horizontal bar, 4
- vertical icon bar, 6, 83
- video recording group, 108
- with black triangles, 4

Influence range of light source, 75

Intensity of light, 75

K

Keyboard shortcuts, 7, 120

L

Lamps

- casting shadows with, 76
- color of light, 75
- controlling brightness of, 75

controlling cone size, 75
controlling influence range, 75
controlling intensity of, 75
in group of objects, 80
in raytracing, 47, 76
in VRML export, 123
on/off icon, 76
Landscape toggle, 5, 70
plan elevation view, 70
Latitude, 58
Light cone
controlling size of, 75
Light source
cast shadow with raytracer, 76
controlling influence range, 75
controlling intensity of, 75
in group of objects, 80
turn lamp on/off, 76
with lighting option, 76
Lighting
conditions, 59
recording changes in, 111
Load
group of objects, 63
object, 63
using object menu, 65
Longitude, 58

M

Material, 98
ambient and diffuse
reflections of, 101
creating, 99
cursor change when placing, 98
deleting, 98
directory path for, 26
drag and drop, 98
editing, 99
gloss light size of, 102
gloss of, 102
interaction with texture, 103
placing, 98
placing on textured object, 103

raytracing in preview
window, 100
reflecting, 102
reflection map of, 103
refractive index of, 102
replacing glass with a
texture, 105
surfaces visible from both
sides, 103
transparency of, 102
Menus, 6
object, 63, 65
object save, 71
Message bar, 4
display playback running
time, 110
display status of recording,
110
object size displayed in, 62
Mirror
object(s) and building(s)
together, 74
object(s) or group, 87
Model coordinates, 85
Moon, 59
Move
in perspective view, 70
in plan view, 69
object(s) and building(s)
together, 74
objects or groups, 69, 80
Multiple objects
deselecting, 68
selecting, 68, 120

N

New view
open, 13
options, 13
Night view
controlling light sources in,
75
switching to day during
playback, 110

O

Object
adapt to areas, 74

align several, 88
animated, 20
animated, moving in project,
20
building considered as, 68
change dimensions, 73
collision detection, 81
controlling height, 73
controlling movement, 73
controlling position of, 62
controlling shadow, 73
controlling size of, 62
copying, 83
deleting, 84
deselecting, 68
dimensions of, 73
directory path for, 26
distorted dimensions, 73
do not move with building,
74
grouping several, 77
hidden under other, 68
loading, 63
loading into perspective
view, 65
loading with menu, 65
mirror with building, 74
mirroring, 87
move in perspective view, 70
move in plan view, 69
move with building, 74
moving, 69
placing in drawing, 18, 62
pull-down menu for, 63
restoring defaults, 82
rotating around X, Y, or Z
axis, 85
saving, 71
scale distorted, 73
select all, 68
selecting, 68
selecting an item beneath, 68
selecting several, 120
settings, 71
using collision detection
with, 64
using vertical icon bar to
control, 83
Overexposure in raytracing, 75
Overexposure, avoiding, 44
brightness settings, 45

in VRML export, 123
Oversampling, 12, 49, 117

P

Page format
 setting project options for, 31
Perspective view, 34
 3D mouse cursor in, 64
 adjusting with View dialog,
 53
 move objects, 70
 placing objects in X, Y, Z
 directions, 64
Phong shading, 46
Picture
 for background, 38
 for foreground, 40
 save, 11
 saving raytraced, 48
Place group of objects, 62
 collision detection, 81
Place object, 62
 collision detection, 81
Plan elevation view
 using landscape toggle with,
 70
Plan view
 collision detection in, 81
 moving objects in, 69
Playback
 of video recording, 110
 recorded and saved video,
 116
 switch between day and
 night, 110
 switch between view modes,
 110
Polygons, number of during
 walk-through, 28
Position of building on site
 landscape toggle, 70
Preview window, 19
 move animated object in, 20
 object(s) in, 64, 72
 raytracing material, 100
 reposition object in, 19
 texture tiled in, 96
Print, 10
 options, 10

Program settings, 23
 3D pixel size, 24
 color depth of 3D pixel, 24
Project options
 background for 3D views, 32
 page format, 31
 setting scale, 32
 settings for, 31

R

Raytracing, 44
 adjusting, 45
 casting shadows with, 73
 controlling overexposure, 75
 controlling shadows, 47, 75
 effect on VRML export, 123
 enable, 12
 material preview window,
 100
 starting, 45
 stopping, 45
 time-dependent views, 56
 under/overexposure, 44
 with lamps on/off, 47
Recording
 animation, 108
 changing views during, 109
 duration of, 112
 fixed images, 108
 inserting still frames in, 111
 lighting changes, 111
 movement and time, 108
 opening a file for, 109
 playback of, 110
 saving, 114
 saving in .AVI format, 114
 saving video for playback,
 115
 starting, 109
 temporal effects, 111
 time simulation in, 113
 video icons for, 108
Redo, 14, 120
Reflections
 ambient and diffuse for
 material, 101
 gloss light color of, 102
 map of, 103
Refractive index

 of material, 102
Restore defaults
 for objects or groups, 82
Rotation, 85
 arbitrary, 87
 around X, Y, or Z axis, 85
 fixed angle, 85, 86
 free, 85, 86
 resetting, 87

S

Save
 object, 71
Save file, 9
 change options, 9
Save picture
 change options, 11
 raytraced, 48
Scale
 settings for in project
 options, 32
Scale distorted
 blue circle in selection frame,
 82
 changing object dimensions
 with, 82
 object dimensions, 73
Select all
 objects, 68
Select All
 icon, 83
Selection frame, 63, 82
 around group of objects, 78
 green edges, 82
 vary depending on view, 69
Project options, 32
Shadows
 controlling in raytracing, 47
 recording effects of, 111
Shortcuts, keyboard, 7
Sounds, 7
Starting vis, 2
Still frames
 inserting in recording, 111
Sun, 59
 recording effect of, 111

T

- Temporal effects
 - recording, 111
- Texture, 25, 93
 - as bitmap (.BMP) file, 93
 - changing, 95
 - cursor change when placing, 95
 - delete with eraser, 94
 - deleting, 95
 - directory path for, 26
 - drag and drop, 95
 - interaction with material, 103
 - loaded texture icon, 93
 - loading, 93
 - masks object, 104
 - mix diffuse color and, 104
 - placing, 95
 - previewing, 95
 - program settings for, 25
 - replacing, 95
 - resolution of, 96
 - self-defined, 96
 - using in VRML viewers, 123
- Time zone, 58
- Time-dependent view, 56
 - control lighting, 57
- Toggle switches, 7

U

- Underexposure, avoiding, 44
- Undo, 14, 120
- Ungroup
 - icon, 83
 - objects, 77
- Units
 - settings for in project options, 32
- Up one floor in walk-through, 51, 120

- Update project
 - based on DataCAD Plus changes, 13

V

- Vertical icon bar
 - controlling group of objects with, 83
 - controlling object(s) with, 83
- Video
 - compression quality, 116
 - saving for playback, 115
- View
 - 3D plan, 34, 62
 - aspect ratio of, 40
 - perspective, 34
 - switch between buildings, 120
 - switch between floors, 120
- View button, 29
 - 3D input general settings for, 29
 - moving while pressing right mouse button, 29
- View mode
 - colored with texture (high quality), 43
 - colored with texture (medium quality), 43
 - colored without texture, 43
 - general settings for, 28
 - hidden line with opaque edges, 43
 - hidden line with opaque surfaces, 43
 - selecting, 43
 - wire frame, 43
- View moved picture contents
 - general settings for, 28
- Viewer location
 - country, 58

- latitude, 58
- longitude, 58
- time zone, 58

- Viewing angle
 - adjusting for background, 39
- Viewpoint
 - changing, 55
 - define, 53
 - increasing speed while changing, 120
 - multiple, 54
- Visibility
 - of surfaces from both sides, 103

W

- Walk-through, 50
 - controlling, 50
 - cursor changes during, 50
 - going up or down a floor, 51, 120
 - height, 51
 - increasing speed of, 50, 51, 120
 - limit polygons in general settings, 28, 51
 - recording, 111
- Wire frame view mode, 43
- World coordinates, 85

Z

- Zoom, 14, 120
 - change enlargement factor, 15
 - in preview window, 19
 - keyboard shortcuts, 16
 - show all icon, 15

